

CALHOUN COUNTY COMMISSION

Commissioners

FRED WILSON, District 1

DANNY SHEARS, District 2

CAROLYN HENDERSON, District 3

TERRY HOWELL, District 4

LEE PATTERSON, District 5



JONATHAN W. GADDY
County Administrator

JULIE M. BORRELLI
County Attorney

MELISSIA WOOD, CPA
Chief Financial Officer

December 15, 2025

INVITATION TO BID

The Calhoun County Commission will on Tuesday, February 10, 2026, at 2:00 p.m., Central Time, receive competitive sealed bids for the Purchase of ALUMINIZED STEEL TYPE 2 CORRUGATED METAL PIPE BID NO. FY26-10. Sealed bids with "BID NO. FY26-10 ALUMINIZED PIPE", and the date and time bids are to be opened, written or typed on the outside of the envelope or package in which the bid is contained, must be submitted to the Calhoun County Commission, 1702 Noble Street, Suite 103, Anniston, Alabama 36201, no later than 2:00 p.m., Central Time, February 10, 2026. At the foregoing time on the foregoing date all responses to this invitation to bid will be publicly opened and read aloud in the Calhoun County Commission Meeting Room in the Calhoun County Administration Building, 1702 Noble Street, Anniston, Alabama.

CONTRACT PERIOD: Establish a 12 month contract with an option to extend for a second and third 12-month period with the same pricing, terms and conditions. The second and third 12-month, if agreed by both parties, would begin the day after the first or second 12-month period expires. Any successive extension must have written approval of both the county and vendor no later than 30 days prior to expiration of the previous 12-month period.

LENGTH: The contract will be in effect for a period of twelve (12) months from October 1st, or date of award (whichever occurs first), until September 30th.

QUANTITY: The exact quantity of purchases for each item listed is not known. Calhoun County does not guarantee that the County will buy any amount. Orders will be placed as needed and will give complete shipping instructions.

NOTE: Bid prices shall be based on the suggested prices shown on the attached lists with a percentage PLUS OR MINUS DISCOUNT BID (ex. Base Price – (Base Price x Discount) = Price per Foot) covering all the different sizes and types of pipes delivered to job sites in Calhoun County.

LENGTHS: Aluminum Coated Steel Pipe shall be of various lengths as ordered.

DELIVERY: Delivery of pipe shall be within seven (7) days after receiving pipe order. Pipe shall be ordered in specific lengths to cover each individual need and bid cannot be awarded on truckload quantities, although truck load quantities may be ordered from time to time. In the event that the amount ordered cannot be filled at the time ordered, Calhoun County Commission reserves the right to purchase from other sources to take care of any immediate needs.

BID NO. FY26-10

ALUMINIZED PIPE

SPECIFICATIONS: All pipe shall meet the minimum current requirements of the Alabama Department of Transportation Standard Specifications, current edition as revised to one week before bid opening.

Aluminized Steel Type 2 Corrugated Metal Pipe shall meet the specifications set forth in Attachment II.

****NO BIDS FOR ALUMINUM COATED STEEL PIPE TYPE II WILL BE CONSIDERED UNLESS THEY ARE BASED ON THE ENCLOSED PRICE LISTS.**

These specifications are describing and stating the minimum capacities, material thickness and qualities needed and required to perform a certain job. Any bids submitted not meeting all of these minimum specifications will be rejected. Bidders must state any and all exceptions to the specifications. Failure to state exceptions will subject bid to rejection.

If items in this Invitation to Bid have been identified, described or referenced by a brand name or trade name and description, such identification is intended to be descriptive, but not restrictive, and is to indicate the quality and characteristics of products that may be offered. All products may be considered for award if such products are clearly identified in the bids and are determined by Calhoun County to be an equal or equivalent to what is specified herein.

If a bidder proposes to furnish another product, such product shall be clearly identified in the bidder's bid. The evaluation of bids and the determination as to equality of products offered shall be the responsibility of the County, and by the County, and will be based on information furnished by the bidder and other information, if any, obtained by the County concerning the product. Accordingly, if a bidder proposes to furnish another product, to insure that sufficient information is available, the bidder is required to submit and shall submit descriptive product literature which provides a complete and detailed description of the product offered with the bidder's bid.

Expenses for the development and delivery of bids are entirely the responsibility of the vendor and shall not be chargeable to Calhoun County (herein sometimes referred to as the "County") or the Calhoun County Commission (herein sometimes referred to as the "Commission").

All bids, and proposal materials submitted shall become the property of the County.

Each bidder is expected to examine all documents, forms, specifications, standard provisions and all instructions. Failure to do so will be at the bidder's risk.

Any bid not received in writing at the Calhoun County Commission, 1702 Noble Street, Suite 103, Anniston, Alabama 36201, by the date and time specified will be declared a late bid and rejected. The Commission will not be responsible for any delays in delivery. It is solely the responsibility of the each bidder that his/her/its bid reaches the bid opening on time. Any bid received after the date and time specified for receipt of bids will be returned unopened.

Bids or alterations of bids by wire, e-mail, facsimile transmission or telephone will not be accepted.

Bid openings are open to the public.

The Commission reserves the right to reject any and all bids and to waive any defect or informality in any bid or the bidding process.

BID NO. FY26-10
ALUMINIZED PIPE

Except as otherwise provided or allowed by law, if the Commission accepts a bid in response to this Invitation to Bid, it will accept the bid of and award the contract to the lowest, responsive, responsible bidder. Factors, which will be considered in determining the lowest responsive, responsible bidder, are meeting and conformity to specifications, price, quality, bidder's ability to provide materials and labor and equipment necessary for installation of materials, and the past performance of bidder on contracts with other entities, and such other factors as are provided or allowed by law.

Alabama Immigration Law Compliance Contract: The selected bidder agrees that it will fully comply with the Immigration Reform and Control Act of 1986, as amended by the Immigration Act of 1990, and the Beason-Hammon Alabama Taxpayer and Citizen Protection Act, which makes it unlawful for an employer in Alabama to *knowingly* hire or continue to employ an alien who is or has become unauthorized with respect to such employment or to fail to comply with the I-9 requirements or fails to use E-Verify to verify the eligibility to legally work in the United States for all of its new hires who are employed to work in the State of Alabama. Without limiting the foregoing, the selected bidder shall not knowingly employ, hire for employment, or continue to employ an unauthorized alien, and shall have an officer or other managerial employee who is personally familiar with the selected bidder's hiring practices to execute an affidavit to this effect on the form supplied by the County and return the same to the County. The selected bidder shall also enroll in the E-Verify Program prior to performing any work, or continuing to perform any ongoing work, and shall remain enrolled throughout the entire course of its performance hereunder, and shall attach to its affidavit the E-Verify Program for Employment Verification and Memorandum of Understanding and such other documentation as the County may require to confirm the selected bidders's enrollment in the E-Verify Program. The selected bidder agrees not to knowingly allow any of its subcontractors, or any other party with whom it has a contract, to employ in the State of Alabama any illegal or undocumented aliens to perform any work in connection with the Project, and shall include in all of its contracts a provision substantially similar to this paragraph. If the selected bidder receives *actual knowledge* of the unauthorized status of one of its employees in the State of Alabama, it will remove that employee from the project, jobsite or premises of the County and shall comply with the Immigration Reform and Control Act of 1986, as amended by the Immigration Act of 1990, and the Beason-Hammon Alabama Taxpayer and Citizen Protection Act. The selected bidder shall require each of its subcontractors, or other parties with whom it has a contract, to act in a similar fashion. If the selected bidder violates any term of this provision, this agreement will be subject to immediate termination by the County. To the fullest extent permitted by law, the selected bidder shall defend, indemnify and hold harmless the County from any and all losses, consequential damages, expenses (including, but not limited to, attorneys' fees), claims, suits, liabilities, fines, penalties, and any other costs arising out of or in any way related to the selected bidder's failure to fulfill its obligations contained in this paragraph.

If the selected vendor is not a current authorized vendor for Calhoun County the selected vendor will be required to submit a properly completed and executed Internal Revenue Service Form W-9 and a Calhoun County Business License simultaneously with entering into a contract to provide materials as herein provided.

The awarding of this Bid is not a notice to proceed. A purchase order must be obtained before any items/work can be purchased/performed.

BID NO. FY26-10
ALUMINIZED PIPE

All inquiries concerning these specifications should be directed in writing to:

Rodney McCain
160 Seaton Drive
Anniston, AL 36205
Phone: (256) 237-4657

**BID NO. FY26-10
ALUMINIZED PIPE**

BID FORM

PLEASE WRITE OR TYPE ON OUTSIDE OF ENVELOPE OR PACKAGE CONTAINING THE BID: BID NO FY26-10 ALUMINIZED PIPE and the DATE AND TIME BIDS ARE TO BE OPENED.

One original and one copy of completed bid, and the other information, requested in the invitation to bid, are to be submitted in sealed envelope or package containing your bid.

PLEASE MAIL OR HAND DELIVER BIDS TO: Calhoun County Commission, 1702 Noble Street Suite 103, Anniston, AL 36201, such that your bid is received by the Calhoun County Commission NO LATER THAN TUESDAY, February 10, 2026, AT 2:00 P.M., CENTRAL TIME.

BID: Please submit plus or minus discount percentage based on the enclosed suggested list prices.	
CATEGORY	DELIVERED TO VARIOUS JOBSITES IN CALHOUN COUNTY
Aluminum Coated Steel Pipe, Type II	
Band Charge 12" - 36" 42" - 60" 66" & up	
Lifting lugs (each)	

SIGNED: _____ DATE: _____
(Signature of bidder or authorized representative of bidder)
PRINTED NAME: _____
COMPANY NAME: _____
COMPANY ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
COUNTY: _____
TELEPHONE: _____
FAX: _____
E-MAIL: _____

THE CALHOUN COUNTY COMMISSION RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.

Please put you completed Bid Form as the first page of your bid.

BID NO. FY26-10
ALUMINIZED PIPE

ATTACHMENT II:

ALUMINIZED STEEL TYPE II CORRUGATED METAL PIPE

1. Scope:
 - 1.1 This specification covers Aluminum Coated (ALUMINIZED STEEL TYPE 2) corrugated steel pipe.
2. Materials:
 - 2.1 The coils from which the pipe is fabricated shall be Hot Dip coated in a bath of commercially pure Aluminum referred to as TYPE 2.
 - 2.2 The material shall meet the requirements of AASHTO M-274 and shall be Aluminized Steel Type 2 only.
3. Fabrication:
 - 3.1 Pipe may be furnished circular or as pipe-arch, as requested by the Purchaser. Pipe fabricated under this specification shall conform to the dimensions and tolerances of the applicable sections of AASHTO M-36.
 - 3.2 The pipe shall be fabricated with helical corrugations and a continuous welded seam extending from end to end of each length of pipe.
 - 3.3 The corrugation patterns shall be 2-2/3" x 1/2", 3" x 1", 5" x 1", or 3/4" x 3/4" x 7-1/2" as requested by the Purchaser.
 - 3.4 Each pipe end shall be fabricated with a minimum of two annular corrugations for the purpose of joining the pipe sections with coupling bands.
4. Coupling Bands:
 - 4.1 The bands shall be fabricated from the same base metal as the pipe, Aluminized Type 2 AASHTO M-274, and shall be of the type: Bands with annular corrugations, as specified in AASHTO M-36.
5. Certification:
 - 5.1 The bidder shall enclose a letter with this bid certifying that (if awarded the bid), the material supplied shall meet the above specifications with no exceptions, specifically:
 1. The Aluminized steel coils used in manufacturing the pipe shall be Type 2 Aluminized Steel only.
 2. The Aluminized Type 2 Steel shall meet the requirements of the AASHTO M-274 specification and shall be Type 2 only.
 3. The pipe shall be fabricated to meet AASHTO M-36.
 - 5.2 Steel mill test reports shall be supplied to the County Engineer upon request.

BID NO. FY26-10
ALUMINIZED PIPE

2.66" x .5" Corrugation		Arch Pipe (ALUMINIZED TYPEII)		
Span-Rise	Gage	Base	Percent Base	Adjusted Price
17"x13"	16			
21"x15"	16			
24"x18"	16			
28"x20"	16			
35"x24"	16			
42"x29"	16			
49"x33"	16			
57"x38"	16			
17"x13"	14			
21"x15"	14			
24"x18"	14			
28"x20"	14			
35"x24"	14			
42"x29"	14			
49"x33"	14			
57"x38"	14			
64"x43"	14			
24"x18"	12			
28"x20"	12			
35"x24"	12			
42"x29"	12			
49"x33"	12			
57"x38"	12			
64"x43"	12			
71"x47"	12			
77"x52"	12			
42"x29"	10			
49"x33"	10			
57"x38"	10			
64"x43"	10			
71"x47"	10			
77"x52"	10			
83"x57"	10			
57"x38"	8			
64"x43"	8			
71"x47"	8			
77"x52"	8			
83"x57"	8			

BID NO. FY26-10
ALUMINIZED PIPE

3"x 1" Corrugation

Arch Pipe(ALUMINIZED TYPE II)

Span-Rise	Gage	Base	Percent Base	Adjusted Price
40"x31"	16			
46"x36"	16			
53"x41"	16			
60"x46"	16			
66"x51"	16			
73"x55"	16			
81"x59"	16			
87"x63"	16			
95"x67"	16			
103"x71"	16			
112"x75"	16			
40"x31"	14			
46"x36"	14			
53"x41"	14			
60"x46"	14			
66"x51"	14			
73"x55"	14			
81"x59"	14			
87"x63"	14			
95"x67"	14			
103"x71"	14			
112"x75"	14			
53"x41"	12			
60"x46"	12			
66"x51"	12			
73"x55"	12			
81"x59"	12			
87"x63"	12			
95"x67"	12			
103"x71"	12			
112"x75"	12			
117"x79"	12			
128"x83"	12			
137"x87"	12			
142"x91"	12			
81"x59"	10			
87"x63"	10			
95"x67"	10			
103"x71"	10			
112"x75"	10			
117"x79"	10			
128"x83"	10			
137"x87"	10			
142"x91"	10			
66"x51"	8			

BID NO. FY26-10
ALUMINIZED PIPE

73"x55"	8			
81"x59"	8			
87"x63"	8			
95"x67"	8			
103"x71"	8			
112"x75"	8			
117"x79"	8			
128"x83"	8			
137"x87"	8			
142"x91"	8			

2.66"x .5" Corrugation		Round Pipe(ALUMINIZED TYPE II)		
Diameter	Gage	Base	Percent Base	Adjusted Price
6"	16			
8"	16			
10"	16			
12"	16			
15"	16			
18"	16			
21"	16			
24"	16			
30"	16			
36"	16			
42"	16			
48"	16			
15"	14			
18"	14			
21"	14			
24"	14			
30"	14			
36"	14			
42"	14			
48"	14			
54"	14			
21"	12			
24"	12			
30"	12			
36"	12			
42"	12			
48"	12			
54"	12			
60"	12			
66"	12			
72"	12			
78"	12			
36"	10			
42"	10			
48"	10			
54"	10			
60"	10			
66"	10			
72"	10			
78"	10			
84"	10			
90"	10			
96"	10			
48"	8			

BID NO. FY26-10
ALUMINIZED PIPE

54"	8			
60"	8			
66"	8			
72"	8			
78"	8			
84"	8			
96"	8			

3"x 1" Corrugation		Round Pipe(ALUMINIZED TYPE II)		
Diameter	Gage	Base	Percent Base	Adjusted Price
36"	16			
42"	16			
48"	16			
54"	16			
60"	16			
66"	16			
72"	16			
78"	16			
84"	16			
96"	16			
36"	14			
42"	14			
48"	14			
54"	14			
60"	14			
66"	14			
72"	14			
78"	14			
84"	14			
90"	14			
96"	14			
36"	12			
42"	12			
48"	12			
54"	12			
60"	12			
66"	12			
72"	12			
78"	12			
84"	12			
90"	12			
96"	12			
102"	12			
108"	12			
114"	12			
120"	12			
48"	10			
54"	10			
60"	10			
66"	10			
72"	10			
78"	10			
84"	10			
90"	10			
96"	10			
102"	10			
108"	10			
114"	10			
120"	10			
60"	8			
66"	8			
72"	8			

BID NO. FY26-10
ALUMINIZED PIPE

78"	8			
84"	8			
90"	8			
96"	8			
102"	8			
108"	8			
114"	8			
120"	8			